# G20F METALLIC PUMP TECHNICAL DATA SHEET

# SERIES

### NATUAL GAS PUMPS

CSA certified to ANSI LC6 standard and Canadian Technical Letter No. R-14 for operation using sweet or sour natural gas

# PERFORMANCE

### SUCTION / DISCHARGE PORT SIZE

## • 2" NPT

- CAPACITY
- 0 to 208 gallons per minute (0 to 786 LPM)

# AIR DISTRIBUTION VALVE

### No-lube, no-stall design



#### • Up to 2 in. (50mm)

- HEADS UP TO
  - 100 psi or 231 ft. of water (7 bar or 70 meters)

### MAXIMUM OPERATING PRESSURE


100 psi (7 bar)

#### **DISPLACEMENT/STROKE**


#### .47 Gallon / 1.8 liter

#### WEIGHTS

- Aluminum 69 lbs. (31kg)
- Stainless Steel 114 lbs. (52kg)



G SER SER



### **5 YEAR LIMITED PRODUCT WARRANTY**

5 Year Guarantee for defects in material or workmanship. See sandpiperpump.com/content/warranty-certifications for complete warranty, including terms and conditions, limitations and exclusions.



#### **USE ONLY GENUINE SANDPIPER PARTS**

All certification, standards, guarantees & warranties originally supplied with this pump will be invalidated by the use of service parts not identified as "Genuine SANDPIPER Parts."




Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867



Tel: 866-777-6060 Fax: 866-777-6383 Springer Pumps, LLC

Website: www.springerpumps.com Int'l: +001 267 404 2910

# EXPLANATION OF PUMP NOMENCLATURE



#### **PUMP BRAND**

G Gas Operated

PUMP SIZE

**20** 2"

CHECK VALVE TYPE

F Flap

#### **DESIGN LEVEL**

1 Design Level

#### WETTED MATERIAL

- S Painted Stainless Steel
- A Painted Aluminum

#### DIAPHRAGM/CHECK VALVE MATERIALS

- B Nitrile/Nitrile
- V FKM/FKM

#### CHECK VALVE SEAT

S Stainless Steel

#### NON-WETTED MATERIAL OPTIONS

- A Painted Aluminum with Nitrile Elastomer Parts
- V Painted Aluminum with FKM Elastomer Parts

#### **PORTING OPTIONS**

N NPT Threads

B BSP Threads

### PUMP STYLE

S Standard

#### **MUFFLER OPTIONS**

X No Muffler Permitted \*

# MATERIALS

Material Profile:		Operating Temperatures:	
	DN! Operating temperature limitations are as follows:	Max.	Min.
abrasion res	/E ACETAL: Tough, impact resistant, ductile. Good istance and low friction surface. Generally inert, remical resistance except for strong acids and ents.	190°F 88°C	-20°F -29°C
	vs very good water and chemical resistance. Has the to oils and solvents, but is fair in ketones and	280°F 138°C	-40°F -40°C
range of oils halogenated	ROCARBON): Shows good resistance to a wide and solvents; especially all aliphatic, aromatic and hydrocarbons, acids, animal and vegetable oils. hot aqueous solutions (over 70°F(21°C)) will attack	350°F 177°C	-40°F -40°C
HYTREL*: Contemporatures	Good on acids, bases, amines and glycols at room s only.	220°F 104°C	-20°F -29°C
NEOPRENE: All purpose. Resistance to vegetable oils. Gener- ally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons.		200°F 93°C	-10°F -23°C
oil, water and highly polar	eneral purpose, oil-resistant. Shows good solvent, d hydraulic fluid resistance. Should not be used with solvents like acetone and MEK, ozone, chlorinated s and nitro hydrocarbons.	190°F 88°C	-10°F -23°C
	High strength and toughness over a wide tem- ge. Moderate to good resistance to fuels, oils and	180°F 82°C	32°F 0°C

<b>POLYPROPYLENE:</b> A thermoplastic polymer. Moderate tensile and flex strength. Resists stong acids and alkali. Attacked by chlorine, fuming nitric acid and other strong oxidizing agents.		32°F 0°C		
<b>PVDF:</b> (Polyvinylidene Fluoride) A durable fluoroplastic with excellent chemical resistance. Excellent for UV applications. High tensile strength and impact resistance.		0°F -18°C		
SANTOPRENE*: Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.		-40°F -40°C		
UHMW PE: A thermoplastic that is highly resistant to a broad range of chemicals. Exhibits outstanding abrasion and impact resistance, along with environmental stress-cracking resistance.		-35°F -37°C		
<b>URETHANE:</b> Shows good resistance to abrasives. Has poor resistance to most solvents and oils.		32°F 0°C		
VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually impervious. Very few chemicals are known to chemically react with PTFE; molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.		-35°F -37°C		
Maximum and Minimum Temperatures are the limits for which these materials can be operated. Temperatures coupled with pressure affect the longevity of diaphragm pump components. Maximum life should not be expected at the extreme limits of the temperature ranges.				
Metals:				
ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel and nickel alloy.				
STAINLESS STEEL: Equal to or exceeding ASTM specification A743 CF-8M for corro- sion resistant iron chromium, iron chromium nickel and nickel based alloy castings for general applications. Commonly referred to as 316 Stainless Steel in the pump industry.				
For specific applications, always consult the Chemical Resistance Chart.				

#### NOTE: See service manual for ATEX details.

SP\_DS\_TemplateDataSheet\_0118



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

Website: www.springerpumps.com Int'l: +001 267 404 2910