HDB1½ / HDB40 METALLIC BALL VALVE PUMP **TECHNICAL DATA SHEET**



HEAVY DUTY BALL VALVE PUMP

For fluids containing settling, suspended & floating solids.

PERFORMANCE

SUCTION / DISCHARGE PORT SIZE

- HDB1½: 1½ NPT
- · HDB40: 1½ BSP (Tapered)

CAPACITY

 0 to 122 gallons per minute (0 to 462 liters per minute)

AIR DISTRIBUTION VALVE

· No-lube, no-stall design

SOLIDS-HANDLING

Up to .25 in. (6.3mm)

HEADS UP TO

125 psi or 289 ft. of water (8.8 Kg/cm2 or 88 meters)

MAXIMUM OPERATING PRESSURE

125 psi (8.6 bar)


DISPLACEMENT/STROKE

· .37 Gallon / 1.4 liter

WEIGHTS

- · Aluminum 75 lbs. (34kg)
- Cast Iron 104 lbs. (47kg)
- Stainless Steel 107 lbs. (48kg)







Tel: 866-777-6060

Fax: 866-777-6383

5 YEAR LIMITED PRODUCT WARRANTY

5 Year Guarantee for defects in material or workmanship. See sandpiperpump.com/content/warranty-certifications for complete warranty, including terms and conditions, limitations and exclusions.



USE ONLY GENUINE SANDPIPER PARTS

All certification, standards, guarantees & warranties originally supplied with this pump will be invalidated by the use of service parts not identified as "Genuine SANDPIPER Parts."



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867
















Springer Pumps, LLC


DIMENSIONS

HDB1 1/2 & HDB40, Side Ported
Dimensions are ± .13" (3mm). Figures in parenthesis = millimeters










Tel: 866-777-6060 Fax: 866-777-6383

Springer Pumps, LLC

Website: www.springerpumps.com Int'l: +001 267 404 2910

EXPLANATION OF PUMP NOMENCLATURE



PUMP SERIES

HD Heavy Duty

PUMP DESIGN

B Solid Ball

PUMP SIZE & OPTIONS

P1 Intrinsically Safe ATEX Compliant Pulse Output

SB STAINLESS-BRASS SLEEVE AND SPOOL SET

DISCHARGE PORTING POSITION

Down Ported

Side

DIAPHRAGM CHECK VALVE MATERIALS

Nitrile

FKM with PTFE

FDA Accepted White Nitrile

GN Neoprene Backup with PTFE Overlay and PTFE Check Balls

Hytrel Backup w/ PTFE Overlay/PTFE Balls

GZ PTFE/Nitrile Bonded

One-Piece/PTFE Balls

EPDM with PTFE

EPDM

Neoprene

R Hytrel

S Santoprene

Santoprene with PTFE

٧

DESIGN LEVEL

CONSTRUCTION

Aluminum Wetted, Aluminum Air

Cast Iron Wetted, Aluminum Air

Cast Iron Wetted, Cast Iron Air

Stainless Steel Wetted, Cast Iron Air

SS Stainless Steel Wetted, Aluminum Air

HC Alloy-C Wetted, Aluminum Air

Alloy-C Wetted, Cast Iron Air

MATERIALS

| Material Profile: | Operating Temperatures: | |
|--|----------------------------|----------------|
| CAUTION! Operating temperature limitations are as follows: | Max. | Min. |
| CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents. | 190°F 88°C | -20°F -29°C |
| EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols. | 280°F 138°C | -40°F -40°C |
| FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM. | 350°F 177°C | -40°F -40°C |
| HYTREL*: Good on acids, bases, amines and glycols at room temperatures only. | 220°F 104°C | -20°F -29°C |
| NEOPRENE: All purpose. Resistance to vegetable oils. Generally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons. | 200°F 93°C | -10°F -23°C |
| NITRILE: General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons. | 190°F 88°C | -10°F -23°C |
| NYLON: 6/6 High strength and toughness over a wide temperature range. Moderate to good resistance to fuels, oils and chemicals. | 180°F 82°C | 32°F 0°C |

| POLYPROPYLENE: A thermoplastic polymer. Moderate tensile and flex strength. Resists stong acids and alkali. Attacked by chlorine, fuming nitric acid and other strong oxidizing agents. | 180°F 82°C | 32°F 0°C |
|---|----------------|----------------|
| PVDF: (Polyvinylidene Fluoride) A durable fluoroplastic with excellent chemical resistance. Excellent for UV applications. High tensile strength and impact resistance. | 250°F 121°C | 0°F -18°C |
| SANTOPRENE*: Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance. | 275°F 135°C | -40°F -40°C |
| UHMW PE: A thermoplastic that is highly resistant to a broad range of chemicals. Exhibits outstanding abrasion and impact resistance, along with environmental stress-cracking resistance. | 180°F 82°C | -35°F -37°C |
| URETHANE: Shows good resistance to abrasives. Has poor resistance to most solvents and oils. | 150°F 66°C | 32°F 0°C |
| VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually impervious. Very few chemicals are known to chemically react with PTFE; molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures. | 220°F 104°C | -35°F -37°C |

Maximum and Minimum Temperatures are the limits for which these materials can be operated. Temperatures coupled with pressure affect the longevity of diaphragm pump components. Maximum life should not be expected at the extreme limits of the temperature ranges

Metals:

ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel and nickel alloy.

STAINLESS STEEL: Equal to or exceeding ASTM specification A743 CF-8M for corrosion resistant iron chromium, iron chromium nickel and nickel based alloy castings for general applications. Commonly referred to as 316 Stainless Steel in the pump industry.

SP_DS_TemplateDataSheet_0118

For specific applications, always consult the Chemical Resistance Chart.

NOTE: See service manual for ATEX details.





800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867