

Tel: 866-777-6060 Fax: 866-777-6383

SANDPIPER

SANDPIPERPUMP.COM

Warren Rupp, Inc. • A Unit of IDEX Corporation

800 N. Main St., Mansfield, Ohio 44902 USA

Telephone 419.524.8388 • Fax 419.522.7867

Website: www.springerpumps.com Int'l: +001 267 404 2910

SAI GLOBAL

ISO 9001 Certified

CE Ex Eff #Hydraulic

Springer Pumps, LLC

SANDPIPER BEAST 2" CLOG RESISTANT HEAVY DUTY FLAP VALVE PUMP TECHNICAL DATA SHEET

EXPLANATION OF PUMP NOMENCLATURE

Your Model #:	SP	в	20	F				0	S	S	0				R	1
(fill in from pump nameplate)																
	Pump Brand	Product Line	Pump Size	Check Valve Type	Wetted Material	Non-Wetted Material	1 0	Backup Diaphragm	Check Valve Material	Seat Material	Air Valve	Air Valve Option	Exhaust Option	Port Type	Port Option	Design Level

PUMP BRAND SP SANDPIPER

PRODUCT LINE

B The Beast Flap

PUMP SIZE

20 2"

CHECK VALVE TYPE

F Flap Valve

WET END MATERIALS

- A Aluminum
- I Cast Iron
- P PolypropyleneS Stainless Steel

NON-WETTED MATERIAL

- A Aluminum
- I Cast Iron
- P Polypropylene
- W White Epoxy Coated Aluminum

DIAPHRAGM MATERIAL

Nitrile (Buna)

E EPDM

В

- F FDA Nitrile
- N Neoprene
- R Santoprene
- H HytrelV FKM (Viton)

BACKUP DIAPHRAGM

- 0 None
- CHECK VALVE MATERIAL
- S Stainless Steel
- SEAT MATERIAL
- S Stainless Steel

AIR VALVE

0 SANDPIPER Standard ESADS

AIR VALVE OPTION

0 None

B Stainless Steel Sleeve & Brass Spool

EXHAUST OPTION

- 0 Encapsulated Polypropylene
- 6 Threaded Metal

PORT TYPE

- B BSPT
- N NPT
- U Universal ANSI/DIN Flange

PORT OPTION R Center Ported

- DESIGN LEVEL
 - 1 Design Level

MATERIALS

Material Profile:		Operating Temperatures:		
CAUTION! Operating temperature limitations are as follows:	Max.	Min.		
CONDUCTIVE ACETAL: Tough, impact resistant, ductile. Good abrasion resistance and low friction surface. Generally inert, with good chemical resistance except for strong acids and oxidizing agents.	190°F 88°C	-20°F -29°C		
EPDM: Shows very good water and chemical resistance. Has poor resistance to oils and solvents, but is fair in ketones and alcohols.	280°F 138°C	-40°F -40°C		
FKM (FLUOROCARBON): Shows good resistance to a wide range of oils and solvents; especially all aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable oils. Hot water or hot aqueous solutions (over 70°F(21°C)) will attack FKM.	350°F 177°C	-40°F -40°C		
HYTREL*: Good on acids, bases, amines and glycols at room temperatures only.	220°F 104°C	-20°F -29°C		
NEOPRENE: All purpose. Resistance to vegetable oils. Gener- ally not affected by moderate chemicals, fats, greases and many oils and solvents. Generally attacked by strong oxidizing acids, ketones, esters and nitro hydrocarbons and chlorinated aromatic hydrocarbons.	200°F 93°C	-10°F -23°C		
NITRILE: General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	190°F 88°C	-10°F -23°C		
NYLON: 6/6 High strength and toughness over a wide temperature range. Moderate to good resistance to fuels, oils and chemicals.	180°F 82°C	32°F 0°C		

POLYPROPYLENE: A thermoplastic polymer. Moderate tensile and flex strength. Resists stong acids and alkali. Attacked by chlorine, fuming nitric acid and other strong oxidizing agents.	180°F 82°C	32°F 0°C				
PVDF: (Polyvinylidene Fluoride) A durable fluoroplastic with excellent chemical resistance. Excellent for UV applications. High tensile strength and impact resistance.	250°F 121°C	0°F -18°C				
SANTOPRENE*: Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	275°F 135°C	-40°F -40°C				
UHMW PE: A thermoplastic that is highly resistant to a broad range of chemicals. Exhibits outstanding abrasion and impact resistance, along with environmental stress-cracking resistance.	180°F 82°C	-35°F -37°C				
URETHANE: Shows good resistance to abrasives. Has poor resistance to most solvents and oils.	150°F 66°C	32°F 0°C				
VIRGIN PTFE: (PFA/TFE) Chemically inert, virtually impervious. Very few chemicals are known to chemically react with PTFE; molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.	220°F 104°C	-35°F -37°C				
Maximum and Minimum Temperatures are the limits for which th operated. Temperatures coupled with pressure affect the longevi components. Maximum life should not be expected at the extrem temperature ranges.	ty of diaphrag	gm pump				
Metals:						
ALLOY C: Equal to ASTM494 CW-12M-1 specification for nickel and nickel alloy.						
STAINLESS STEEL: Equal to or exceeding ASTM specification. sion resistant iron chromium, iron chromium nickel and nickel ba general applications. Commonly referred to as 316 Stainless Ste	sed alloy cas	tings for				

For specific applications, always consult the Chemical Resistance Chart.

NOTE: See service manual for ATEX details.



Warren Rupp, Inc. • A Unit of IDEX Corporation 800 N. Main St., Mansfield, Ohio 44902 USA Telephone 419.524.8388 • Fax 419.522.7867

SP_DS_BeastM_0118

(Ex)